GSTIN: 06AJZPM1523E1Z5



A Govt. Approves Testing Laboratory Under "the Drugs & Cosmetics Act 1940 And Rules " There Under Approved By: FDA Haryana Ayush Haryana: An ISO 9001: 2015 & GLP Certified Lab. Address: Ind. Area, Phase-1, Phanchkula, Haryana.

Mob: +91 9538239428, email id: dnlabpk@gmai.com, manisha256@gmail.com

## Certificate of Analysis

## Form-47, 160 (A) Report of test or Analysis by Approved Institution

Sample Name	Ultra Herbs I Capsules	-Theanine, Cha	amomile Ashwagandha	Received Date	11-09-2025
Customer Information	Ultra Herbs, 2711 W Whiteside, St # Springfield MO 65807			Ref. No.	NIL
Supplied By	NS			Report No.	DNL/09/25-26/123/G/H
Batch Size	NS	LOT No.	UH-XXVT9N23	Sample Qty.	150 Capsules
Mfg. Date	09-2025	Exp. Date	11-09-2028	Fssai. Lic. No.	10822999000390
Date of Analysis	12-09-2025	Date of Completion	18-09-2025	Protocol ID	IHS

	RESULT OF ANA		
	led in transparent hard go	elatin capsule	
Average Fill weight : 500 mg			
Disintegration Time : 10-11 min			(NMT – 30 min)
Assay : Each Serving Ca	apsule (on an average fill	) contains: -	
Composition	Claim	Observed	Method
L-Theanine	250 mg	250.10 mg	HPLC
Chamomile (Matricaria Chamomilla) flower	100 mg	99.95 mg	HPLC
Ashwagandha (Withania Somnifera) root	50 mg	49.85 mcg	HPLC
Magnesium	30 mg	29.90 mg	HPLC
(As Magnesium Malate, Glycinate, Citrate)			
Saffron (Crocus Sativus) stigma	50 mg	50.10 mg	HPLC
Black Pepper (Piper Nigrum) fruit	20 mg	19.80 mg	HPLC
Identification	Conform	Complies	IR Spectrum
Characterstics	Brown Powder	Complies	Organoleptic
Solubility	Soluble in Water	Complies	Turbidity Meter
Assay	NLT 98%	99.80%	HPLC
Specific Optical Rotation	$+7.5^{\circ}$ to $+8.5^{\circ}$	+ 8.1°	HPLC
Refractive Index @ 25 C	1.450-1.520	1.492	Refractometer
Specific Gravity	1.050-1.350 at 20°C	1.171	Densimeter
Particle Size	95% pass 80 mesh	Conforms	USP36<786>
Loss on drying	NMT 1%	0.35%	USP<731>
Residue of Solvents	None	Conforms	Eur. Ph.<2.2.24>
Residue on Ignition	NMT 0.2%	0.05%	USP<281>
Pesticide Residue	0.2% ppm	Conforms	Eur. Ph.<2.4.13>
Acid Insoluble Ash	NMT0.5%	0.03% w/w	Muffle Furnace
Ash Content	NMT 2%	0.47 %	USP <731>
Moisture	MNT 2 %	0.42 %	AOAC
pH 5 % in water	4-6.5 at 25°C	5.7	USP < 791>
Bulk Density	40-50g/100mL	43g/100mL	USP <616>
Tapped Density	50-70g/100mL	62g/100mL	USP <616>
Heavy Metals:	30-70g/100IIIL	02g/100HL	USF <010>
Total Heavy Metals	10 ppm Max	Conforms	LICD-222> LCD MC
Lead	NMT - 1 ppm		USP<233> ICP-MS
Arsenic	* *	0.39 ppm	USP <233> ICP-MS
	NMT - 1 ppm	0.34 ppm	USP <233> ICP-MS
Cadmium	NMT – 1 ppm	0.12 ppm	USP <233> ICP-MS
Mercury Missabial Essenia di an	NMT - 0.1 ppm	0.02 ppm	USP <233> ICP-MS
Microbial Examination:	NIMT 1000 -C-/-	C !:	LICD -2021
Total Plate Count	NMT 1000 cfu/g	Complies	USP<2021>
Yeast & Mould E. Coli	NMT 100 cfu/g	10 cfu/g	USP<2021>
	Absent/g	Absent	USP<2021>
Salmonella Stanbula access Assessed	Absent/g	Absent	USP<2021>
Staphylococcus Aureus	Absent/g	Absent	USP<2021>
Pseudomonas Aeruginosa 18-09-2025	Absent/g	Absent	USP<2021>
Date of Completion	· · · · · · · · · · · · · · · · · · ·	Signature	e of Person-in- charge of testing

**GSTIN: 06AJZPM1523E1Z5** 



# DN LABORATORY

A Govt. Approves Testing Laboratory Under "the Drugs & Cosmetics Act 1940 And Rules" There Under Approved By: FDA Haryana Ayush Haryana: An ISO 9001: 2015 & GLP Certified Lab. Address: Ind. Area, Phase-I, Phanchkula, Haryana.

Mob: +91 9538239428, email id: dnlabpk@gmai.com, manisha256@gmail.com

## Certificate of Analysis

Sample Name	Ultra Herbs L-Theanine, Chamomile Ashwagandha			Received Date	11-09-2025
	Capsules				
Customer	Ultra Herbs, 2711 W Whiteside, St # Springfield			Ref. No.	NIL
Information	MO 65807				
Supplied By	NS			Report No.	DNL/09/25-26/123/G/H
Batch Size	NS	LOT No.	UH-XXVT9N23	Sample Qty.	150 Capsules
Mfg. Date	09-2025	Exp. Date	11-09-2028	Fssai. Lic. No.	10822999000390
Date of	12-09-2025	Date of	18-09-2025	Protocol ID	IHS
Analysis		Completion			

OPINION: In the opinion of the undersigned the above sample is of standard quality is of standard quality as defined in the Act and Rules made there under for the reasons given below

The sample confirms to IP \[ \] BP \[ \] USP \[ \] BIS \[ \] ISO \[ \] AYUR \[ \] test specification with respect to above test only.

18-09-2025 Date of Completion

Signature of Person-in- charge of testing

## Note:

- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- Samples (s) not drawn by us, unless otherwise stated.
- 3. Total liability of our analytical division is limited to the invoiced amount.
- Sample will be destroyed after one month from date of issue of test certificate unless otherwise specified.
- Results given in reports are released to sample tested.